

Examiner Jeffrey E. Russel
U.S. Application Serial No. 09/873,899
Page 8

Although Applicants traverse the rejections made in the February 24, 2003 Office Action, Applicants have chosen to present amendments herein to place the application in condition for allowance while retaining the right to pursue the rejected claims in a separate application.

The proposed amendments to independent claims 1, 12, 46 and 50 incorporate the subject matter of dependent claims 7, 16, 49, and 51, which were indicated by the Examiner to be allowable. These amendments obviate the 35 USC § 103 obviousness rejections for the rejected independent claims and for the claims depending therefrom.

Applicants have also revised, as suggested by the Examiner, claims 32, 33, 35, 38, 53, 54, and 55, which the Examiner objected to for various reasons.

Support for the proposed amendments to the claims can be found in the originally filed claims and/or the specification as noted in the following Table:

Amended/New Claim	Source of Support
Amended claim 1	Original claims 1 and 7
Amended claims 4, 5, and 7	Original claims 4, 5, and 7
Amended claim 12	Claims 1 and 2 and cancelled claims 13 and 15
Amended claims 14 and 16	Original claims 14 and 16
Amended claim 18, 19, 20, and 21	Original claims and amended claim 12
Amended claims 25, 26, 28, 32, 33, 35, and 38	Original claims 25, 26, 28, 32, 33, 35, and 38
Amended claim 46	Original claim 46 and cancelled claim 49
Amended claim 50	Original claim 50 and cancelled claim 51
Amended claim 53	Original claim 52
Amended claims 54 and 55	Original claims 54 and 55
New claims 68, 69, and 70	Specification, p. 13, lines 14-18, among other places
New claim 71	Specification, p. 19, lines 3-12, among other places
New claims 72, 73, and 74	Originally filed claim 35
New claims 75, 76, and 77	Originally filed claim 38

For the Examiner's convenience, Applicants attach herewith a clean version of the claims incorporating the proposed amendments.

Additionally, Applicants respectfully request that the provisional nonstatutory double patenting rejections of the pending claims be withdrawn, as the applications upon which the provisional rejections were made have not yet issued.

Any questions that the Examiner may have should be directed to Shawna Cannon Lemon, Ph.D., Esq., who may be reached at (919) 854-1400.

MAR. 14. 2003 11:31AM

MBSS 919 854-1401

NO. 2630 P. 9

Examiner Jeffrey E. Russel
U.S. Application Serial No. 09/873,899
Page 9


Confidentiality Note

The information contained in this facsimile message is legally privileged and confidential information intended only for the use of the individual or entity named above. If the reader of this message is not the intended recipient, you are hereby prohibited. If you have received this telecopy in error, please immediately notify us by telephone and return the original message to us at the address above via the United States Postal Service. THANK YOU.

Examiner Jeffrey E. Russel
U.S. Application Serial No. 09/873,899
Page 1

Clean Version of Claims Incorporating Proposed Amendments

1. (Amended) A mixture of conjugates each comprising a human insulin drug coupled to an oligomer having a formula:



wherein the mixture has a dispersity coefficient (DC) greater than 10,000 where

$$DC = \frac{\left(\sum_{i=1}^n N_i M_i \right)^2}{\sum_{i=1}^n N_i M_i^2 \sum_{i=1}^n N_i - \left(\sum_{i=1}^n N_i M_i \right)^2}$$

wherein:

n is the number of different molecules in the sample;

N_i is the number of ith molecules in the sample; and

M_i is the mass of the ith molecule.

2. The mixture according to Claim 1, wherein the dispersity coefficient is greater than 100,000.

3. The mixture according to Claim 1, wherein the dispersity coefficient is greater than 500,000.

7. (Amended) The mixture according to Claim 1, wherein the oligomer is covalently coupled to Lys^{B29} of the human insulin.

8. The mixture according to Claim 1, wherein the mixture has an *in vivo* activity that is greater than the *in vivo* activity of a polydispersed mixture of insulin drug-oligomer conjugates having the same number average molecular weight as the mixture.

Examiner Jeffrey E. Russel
U.S. Application Serial No. 09/873,899
Page 2

9. The mixture according to Claim 1, wherein the mixture has an *in vitro* activity that is greater than the *in vitro* activity of a polydispersed mixture of insulin drug-oligomer conjugates having the same number average molecular weight as the mixture.

10. The mixture according to Claim 1, wherein the mixture has an increased resistance to degradation by chymotrypsin when compared to the resistance to degradation by chymotrypsin of a polydispersed mixture of insulin drug-oligomer conjugates having the same number average molecular weight as the mixture.

11. The mixture according to Claim 1, wherein the mixture has an inter-subject variability that is less than the inter-subject variability of a polydispersed mixture of insulin drug-oligomer conjugates having the same number average molecular weight as the mixture.

12. (Amended) A mixture of conjugates, each comprising insulin coupled to a first oligomer and a second oligomer, each oligomer covalently coupled to an amine function of the insulin wherein the mixture has a dispersity coefficient (DC) greater than 10,000 where

$$DC = \frac{\left(\sum_{i=1}^n N_i M_i \right)^2}{\sum_{i=1}^n N_i M_i^2 \sum_{i=1}^n N_i - \left(\sum_{i=1}^n N_i M_i \right)^2}$$

wherein:

n is the number of different molecules in the sample;
 N_i is the number of i^{th} molecules in the sample; and
 M_i is the mass of the i^{th} molecule.

14. (Amended) The mixture according to Claim 12, wherein the amine function is at Lys^{B29} of the insulin.

Examiner Jeffrey E. Russel
U.S. Application Serial No. 09/873,899
Page 3

16. (Amended) The mixture according to Claim 12, wherein the first oligomer is covalently coupled at Lys^{B29} of the insulin and the second oligomer is covalently coupled at N-terminal A1 or N-terminal B1 of the insulin.

17. The mixture according to Claim 1, wherein the insulin drug is covalently coupled to the oligomer.

18. (Amended) The mixture according to Claim 12, wherein the insulin drug is covalently coupled to at least one of the oligomers by a hydrolyzable bond.

19. (Amended) The mixture according to Claim 12, wherein the insulin is covalently coupled to the polyethylene glycol moiety of at least one of the oligomers.

20. (Amended) The mixture according to Claim 12, wherein at least one of the oligomers comprises a lipophilic moiety covalently coupled to a polyethylene glycol moiety.

21. (Amended) The mixture according to Claim 12, wherein at least one of the oligomers comprises a lipophilic moiety.

22. The mixture according to Claim 21, wherein the insulin drug is covalently coupled to the lipophilic moiety.

23. The mixture according to Claim 21, wherein the polyethylene glycol moiety is covalently coupled to the lipophilic moiety.

24. The mixture according to Claim 1, wherein the conjugate comprises a first oligomer and a second oligomer.

Examiner Jeffrey E. Russel
U.S. Application Serial No. 09/873,899
Page 4

25. (Amended) The mixture according to Claim 12, wherein the first and the second oligomers are the same.

26. (Amended) The mixture according to Claim 13, wherein the oligomer comprises a first polyethylene glycol moiety covalently coupled to the insulin by a non-hydrolyzable bond and a second polyethylene glycol moiety covalently coupled to the first polyethylene glycol moiety by a hydrolyzable bond.

27. The mixture according to Claim 26, wherein the oligomer further comprises a lipophilic moiety covalently coupled to the second polyethylene glycol moiety.

28. (Amended) The mixture according to Claim 1, wherein the conjugates are each amphiphilically balanced such that each conjugate is aqueously soluble and able to penetrate biological membranes.

29. A pharmaceutical composition comprising:
the mixture according to Claim 1; and
a pharmaceutically acceptable carrier.

30. A method of treating insulin deficiency in a subject in need of such treatment, said method comprising:

administering an effective amount of a mixture of conjugates each comprising an insulin drug coupled to an oligomer comprising a polyethylene glycol moiety, wherein the mixture has a dispersity coefficient (DC) greater than 10,000 where

$$DC = \frac{\left(\sum_{i=1}^n N_i M_i \right)^2}{\sum_{i=1}^n N_i M_i^2 - \sum_{i=1}^n N_i \left(\sum_{i=1}^n N_i M_i \right)^2}$$

wherein:

Examiner Jeffrey E. Russel
U.S. Application Serial No. 09/873,899
Page 5

n is the number of different molecules in the sample;
 N_i is the number of i^{th} molecules in the sample; and
 M_i is the mass of the i^{th} molecule;
to the subject to treat the insulin deficiency

31. A substantially monodispersed mixture of conjugates, each conjugate comprising an insulin drug coupled to an oligomer that comprises a polyethylene glycol moiety.

32. (Amended) The mixture according to Claim 31, wherein the polyethylene glycol moiety has at least 2 polyethylene glycol subunits.

33. (Amended) The mixture according to Claim 31, wherein the polyethylene glycol moiety has at least 5 polyethylene glycol subunits.

34. The mixture according to Claim 31, wherein the polyethylene glycol moiety has at least 7 polyethylene glycol subunits.

35. (Amended) The mixture according to Claim 31, wherein at least about 96 percent of the conjugates in the mixture have the same molecular weight.

36. The mixture according to Claim 31, wherein the mixture is a monodispersed mixture.

37. The mixture according to Claim 31, wherein the mixture is a substantially purely monodispersed mixture.

38. The mixture according to Claim 31, wherein at least about 96 percent of the conjugates in the mixture have the same molecular weight and have the same molecular structure.

Examiner Jeffrey E. Russel
U.S. Application Serial No. 09/873,899
Page 6

39. The mixture according to Claim 31, wherein the mixture is a purely monodispersed mixture.

40. A substantially monodispersed mixture of conjugates each comprising human insulin covalently coupled at Lys^{B29} of the human insulin to the carboxylic acid moiety of a carboxylic acid, which is covalently coupled at the end distal to the carboxylic acid moiety to a methyl terminated polyethylene glycol moiety having at least 7 polyethylene glycol subunits

41. The substantially monodispersed mixture according to Claim 40, wherein the conjugates each consist of human insulin covalently coupled at Lys^{B29} of the human insulin to the carboxylic acid moiety of hexanoic acid, which is covalently coupled at the end distal to the carboxylic acid moiety to a methyl terminated polyethylene glycol moiety having 7 polyethylene glycol subunits.

42. A substantially monodispersed mixture of conjugates each comprising an insulin drug coupled to an oligomer that comprises a polyethylene glycol moiety, said mixture having an *in vivo* activity that is greater than the *in vivo* activity of a polydispersed mixture of insulin drug-oligomer conjugates having the same number average molecular weight as the substantially monodispersed mixture.


43. The mixture according to Claim 42, further having an *in vitro* activity that is greater than the *in vitro* activity of the polydispersed mixture of insulin drug-oligomer conjugates.

44. The mixture according to Claim 42, further having an increased resistance to degradation by chymotrypsin when compared to the resistance to degradation by chymotrypsin of the polydispersed mixture of insulin drug-oligomer conjugates.

Examiner Jeffrey E. Russel
U.S. Application Serial No. 09/873,899
Page 7

45. The mixture according to Claim 42, further having an inter-subject variability that is less than the inter-subject variability of the polydispersed mixture of insulin drug-oligomer conjugates.


46. (Amended) A mixture of conjugates each comprising an insulin drug coupled to an oligomer that comprises a polyethylene glycol moiety, said mixture having a molecular weight distribution with a standard deviation of less than about 22 Daltons, wherein the insulin drug is human insulin and each oligomer is covalently coupled to Lys^{B29} of the human insulin and has the formula:



47. The mixture according to Claim 46, wherein the standard deviation of the molecular weight distribution is less than about 14 Daltons.


48. The mixture according to Claim 46, wherein the standard deviation of the molecular weight distribution is less than about 11 Daltons.

50. (Amended) A mixture of conjugates each comprising an insulin drug coupled to an oligomer that comprises a polyethylene glycol moiety, said mixture having a molecular weight distribution with a standard deviation of less than about 22 Daltons, in which each conjugate comprises an insulin drug coupled to an oligomer and has the same number of polyethylene glycol subunits, wherein the insulin drug is human insulin and each oligomer is covalently coupled to Lys^{B29} of the human insulin and has the formula:



Examiner Jeffrey E. Russel
U.S. Application Serial No. 09/873,899
Page 8

52. A mixture of conjugates in which each conjugate is the same and has the formula:



wherein:

B is a bonding moiety;

L is a linker moiety;

G, G' and G'' are individually selected spacer moieties;

R is a lipophilic moiety and R' is a polyalkylene glycol moiety, or R' is the lipophilic moiety and R is the polyalkylene glycol moiety;

T is a terminating moiety;

j, k, m and n are individually 0 or 1; and

p is an integer from 1 to the number of nucleophilic residues on the insulin drug.

53. (Amended) The mixture according to Claim 52, wherein the polyalkylene glycol moiety is a polyethylene glycol moiety.

54. (Amended) The mixture according to Claim 53, wherein the polycethylene glycol moiety has at least 2 polyethylene glycol subunits.

55. (Amended) The mixture according to Claim 53, wherein the polyethylene glycol moiety has at least 5 polyethylene glycol subunits.

56. The mixture according to Claim 53, wherein the polyalkylene glycol moiety is a polyethylene glycol moiety having at least 7 polyethylene glycol subunits.

57. The mixture according to Claim 53, wherein:

R is alkyl or alkylene;

R' is polyethylene glycol having at least 7 polyethylene glycol subunits;

T is alkyl;

Examiner Jeffrey E. Russel
U.S. Application Serial No. 09/873,899
Page 9


j is 1; and
k, m and n are 0.

58. The mixture according to Claim 53, wherein:

B is carbonyl;
R is C₅ alkylene;
R' is polyethylene glycol having 7 polyethylene glycol subunits;
T is methoxy; and
k, m and n are 0.

59. A process for synthesizing a substantially monodispersed mixture of conjugates each conjugate comprising an insulin drug coupled to an oligomer that comprises a polyethylene glycol moiety, said process comprising:

reacting a substantially monodispersed mixture comprising compounds having the structure of Formula I:



wherein R¹ is H or a lipophilic moiety; m is from 1 to 25; and X⁺ is a positive ion, with a substantially monodispersed mixture comprising compounds having the structure of Formula II:



wherein R² is H or a lipophilic moiety; and n is from 1 to 25, under conditions sufficient to provide a substantially monodispersed mixture comprising polymers having the structure of Formula III:



activating the substantially monodispersed mixture comprising polymers of Formula III to provide a substantially monodispersed mixture of activated polymers capable of reacting with an insulin drug; and

reacting the substantially monodispersed mixture of activated polymers with a substantially monodispersed mixture of insulin drugs under conditions sufficient to provide a substantially monodispersed mixture of conjugates each comprising an insulin

Examiner Jeffrey E. Russel
U.S. Application Serial No. 09/873,899
Page 10

drug coupled to an oligomer that comprises a polyethylene glycol moiety with m+n subunits.

60. The process according to Claim 59, wherein R² is a fatty acid moiety or an ester of a fatty acid moiety.

61. The process according to Claim 60, wherein the fatty acid moiety or the ester of a fatty acid moiety comprises an alkyl moiety at least 5 carbon atoms in length.

62. The process according to Claim 59, wherein R¹ is a methyl group.

63. The process according to Claim 59, further comprising:
reacting a substantially monodispersed mixture comprising compounds having the structure of Formula V:




with a methanesulfonyl halide under conditions sufficient to provide a substantially monodispersed mixture comprising compounds having the structure of Formula II:



64. The process according to Claim 63, further comprising:
reacting a substantially monodispersed mixture comprising compounds having the structure of Formula VI:



wherein R² is a lipophilic moiety;
with a substantially monodispersed mixture comprising compounds having the structure of Formula VII:



wherein R³ is benzyl, trityl, or THP; and X₂⁺ is a positive ion;
under conditions sufficient to provide a substantially monodispersed mixture comprising compounds having the structure of Formula VIII:

Examiner Jeffrey E. Russel
U.S. Application Serial No. 09/873,899
Page 11




reacting the substantially monodispersed mixture comprising compounds having the structure of Formula VIII under conditions sufficient to provide a substantially monodispersed mixture comprising compounds having the structure of Formula V:



65. The process according to Claim 59, further comprising:
reacting a substantially monodispersed mixture comprising compounds having the structure of Formula IV:



under conditions sufficient to provide a substantially monodispersed mixture comprising compounds having the structure of Formula I:



66. The process according to Claim 59, wherein the activating of the substantially monodispersed mixture comprises reacting the substantially monodispersed mixture of polymers of Formula III with N-hydroxy succinimide to provide an activated polymer capable of reacting with an insulin drug.

67. The process according to Claim 59, wherein the insulin drug is human insulin, and wherein the reacting of the substantially monodispersed mixture of activated polymers with a substantially monodispersed mixture of insulin comprises:
reacting the substantially monodispersed mixture of activated polymers with Lys^{B29} of the human insulin to provide a substantially monodispersed mixture of monoconjugates each comprising a human insulin coupled to an oligomer that comprises a polyethylene glycol moiety with m+n subunits.


68. (New) The mixture according to claim 12, wherein at least one of the oligomers comprises a polyethylene glycol moiety having at least 2 polyethylene glycol subunits.

Examiner Jeffrey E. Russel
U.S. Application Serial No. 09/873,899
Page 12

69. (New) The mixture according to claim 12, wherein at least one of the oligomers comprises a polyethylene glycol moiety having at least 5 polyethylene glycol subunits.

70. (New) The mixture according to claim 12, wherein at least one of the oligomers comprises a polyethylene glycol moiety having at least 7 polyethylene glycol subunits.

71. (New) The mixture according to claim 12, wherein at least one of the oligomers is covalently coupled to Lys^{B29} of the human insulin and has the formula:



72. (New) The mixture according to Claim 31, wherein at least about 97 percent of the conjugates in the mixture have the same molecular weight.

73. (New) The mixture according to Claim 31, wherein at least about 98 percent of the conjugates in the mixture have the same molecular weight.

74. (New) The mixture according to Claim 31, wherein at least about 99 percent of the conjugates in the mixture have the same molecular weight.

75. (New) The mixture according to Claim 31, wherein at least about 97 percent of the conjugates in the mixture have the same molecular weight and have the same molecular structure.

76. (New) The mixture according to Claim 31, wherein at least about 98 percent of the conjugates in the mixture have the same molecular weight and have the same molecular structure.

Examiner Jeffrey E. Russel
U.S. Application Serial No. 09/873,899
Page 13

77. (New) The mixture according to Claim 31, wherein at least about 99 percent of the conjugates in the mixture have the same molecular weight and have the same molecular structure.
